


ITEM	QTY -041	P/N	DESCRIPTION
	X	D5357-041	STRUT ASSEMBLY
1	2	D2690-6	LANYARD ASSEMBLY
2	1	D5357-043	STRUT WELDMENT
3	2	AN3C3A	BOLT
4	2	MS17984-C405	PIN, QUICK RELEASE
5	2	MS21043-3	NUT, SELF-LOCKING
6	2	MS21919WCF8	CLAMP
7	4	NAS1149C0332R	WASHER

- NOTES:
1) MATERIAL: N/A
2) FINISH: N/A
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
6) IDENTIFICATION: IDENTIFY PER QSI 044 6.1
7) WEIGHT: 0.83 lbs
8) TORQUE NUTS TO 20-25 in-lb

D5357-041 STRUT ASSEMBLY

PRELIMINARY ISSUE

A	NEW ISSUE		RF	15.08.10
REV.	DESCRIPTION		BY	DATE
DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA		
DRAWN	RF			
CHECKED	VS	DRAWING NO. D5357 REV. A2		
MFG. APPR.	DD	SHEET 1 OF 3		
APPROVED		TITLE STRUT ASSEMBLY SCALE NTS		
DE APPR.				
DATE	15.08.10	COPYRIGHT © 2015 BY DART AEROSPACE LTD <small>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>		



NOTES:

- 1) MATERIAL: AISI 304/316 STAINLESS STEEL SEAMLESS ROUND TUBING
PER ASTM A213 OR ASME SA213 OR ASTM S269
REF DART SPEC M304TR0.500W.049
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.48 lbs

PRELIMINARY ISSUE

DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	VS	DRAWING NO. D5357	REV. A2
MFG. APPR.	DD	SHEET 3 OF 3	
APPROVED		TITLE	SCALE
DE APPR.		STRUT ASSEMBLY	NTS
DATE	15.08.10	<small>COPYRIGHT © 2015 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	